


Abby Han
Zhejiang Samsung Down Co., Ltd
No.288, Xiaoshao East Road, Xintang Street,
Xiaoshan District
Hangzhou, Zhejiang 311201
China

abby@samsungdown.com
Langer@samsungdown.com
joyce.ye@icaglobalsourcing.com

5-Day
Arrived: Tue 9 April 2019
Completed: Tue 16 April 2019

Sample Type: Pillow One layer of a pillow
Shipped By: SF 237619354531
Label: 50% white duck down and 50% white duck feathers
Sample Identification: Anton pillow KS high (Filling:white duck down 50% order:48-04041 art:134713)



This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE


IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

Approved By


www.idfl.com
Client 2313
XS

Test Orders Summary

Test	Test Component	Result	Expected Value
Content EN 12131 2018	Down Clusters	49.1%	50
Fill Power -Tumble Dry Conditioning EN 12130-B 2018	Final Fill Power Height	104 mm/30g	-
Steam Fill Power IDFB Part 10-B 2015	Final Fill Power Volume	485 in ³ /30g	-
Turbidity EN 1164 1998	Turbidity Glass Tube	1000 mm	-
Oxygen Number EN 1162 1996	Oxygen	1.6 mg/100g	-

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.



IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
 1455 South 1100 East
 Salt Lake City, UT 84105
 USA
 +1 801 467 7611
info@idfl.com

IDFL EUROPE AG
 Zürcherstrasse 282
 CH-8500 Frauenfeld
 Switzerland
 +41 52 765 1574
europe@idfl.com

IDFL CHINA
 Tonghui Mid-Road 688, Xiaoshan
 Hangzhou Zhejiang 311200
 China
 +86 571 8273 6561
china@idfl.com

IDFL TAIPEI
 2F., No. 163 Sec. 2, Wenhua Rd.
 Banqiao District, New Taipei City
 Taiwan
 +886 2 2259 1178
taiwan@idfl.com

Approved By
www.idfl.com
 Client 2313
 XS

Test Report

Anton pillow KS high (Filling:white duck)

Content EN 12131 2018

Down Clusters	49.1%
Down Fibers	1.0%
Waterfowl Feather Fibers	1.2%
Waterfowl Feathers	46.8%
Broken and Damaged Waterfowl Feathers	1.3%
Quill	0.0%
Landfowl	0.0%
Residue	0.6%
Total	100.0%

Result(s) Used for Evaluation

Total Down	50.1%
Down Fiber Allowance (1.0%) + Down Clusters (49.1%)	
Total Waterfowl Feathers	49.3%
Waterfowl Feather Fibers & Broken and Damaged Waterfowl Feathers Allowance (2.5%) + Waterfowl Feathers (46.8%)	
Other Elements	0.6%
Excess Down Fiber (0.0%) + Excess Waterfowl Feather Fibers & Broken and Damaged Waterfowl Feathers (0.0%) + Landfowl (0.0%) + Residue (0.6%) + Quill (0.0%)	

Fill Power -Tumble Dry Conditioning EN 12130-B 2018

Height **104 mm/30g**

Steam Fill Power IDFB Part 10-B 2015

Volume **485 in³/30g**

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
 1455 South 1100 East
 Salt Lake City, UT 84105
 USA
 +1 801 467 7611
 info@idfl.com

IDFL EUROPE AG
 Zürcherstrasse 282
 CH-8500 Frauenfeld
 Switzerland
 +41 52 765 1574
 europe@idfl.com

IDFL CHINA
 Tonghui Mid-Road 688, Xiaoshan
 Hangzhou Zhejiang 311200
 China
 +86 571 8273 6561
 china@idfl.com

IDFL TAIPEI
 2F., No. 163 Sec. 2, Wenhua Rd.
 Banqiao District, New Taipei City
 Taiwan
 +886 2 2259 1178
 taiwan@idfl.com

Approved By

www.idfl.com
 Client 2313
 XS

Turbidity EN 1164 1998

Turbidity Glass Tube	1000 mm
Turbidity NTU	1.33 NTU

Oxygen Number EN 1162 1996

Oxygen	1.6 mg/100g
--------	--------------------

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE


IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

Approved By


www.idfl.com
Client 2313
XS